99/945,448 **EAST Search History**

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|---------------------|---------|------------------|
| L1 | 1 | ((customi\$6 or (user near2 defined)) near3 (product or application)).CLM. and ("user interface").CLM. and (configurator). CLM. and (map\$4 or match\$3).CLM. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/19 12:30 |
| L2 | . 4 | ((customi\$6 or (user near2 defined)) near3 (configurator)).CLM. and ("user interface").CLM. and (map\$4 or match\$3).CLM. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF . | 2007/01/19 12:31 |
| L6 | 2 | "6035305".PN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/19 12:40 |
| S1 | 96 | (configurat\$2 or plann\$2) and (class near5 subclass) and (attribute or feature) and (custom\$7 or 'user interface') and (rule or limit\$5) and (default or (minimum same maximum)) and (@ad < "20010831") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/15 18:45 |
| S22 | 0 | ((customi\$6 or (user near2 defined)) near3 configurat\$3) and (("attribute" same "class") near5 product) and "component" and ("user" near2 "interface") and (@ad < "20010831" or @rlad < "20010831") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/15 18:48 |
| S23 | . 0 | ((customi\$6 or (user near2 defined)) near3 (configurat\$3 or construct\$3)) and (("attribute" same "class") near5 product) and "component" and ("user" near2 "interface") and (@ad < "20010831" or @rlad < "20010831") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/15 18:48 |
| S24 | 80 | ((customi\$6 or (user near2 defined)) near3 (configurat\$3 or construct\$3)) and ("attribute" same "class") and "component" and ("user" near2 "interface") and (@ad < "20010831" or @rlad < "20010831") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/15 18:49 |

EAST Search History

| | | | | , | | |
|-----|------|---|---|----|-----|------------------|
| S25 | 48 | ((customi\$6 or (user near2 defined)) near3 (configurat\$3 or construct\$3)) and ("attribute" same "class") and "component" and (("user" near2 "interface") same "access") and (@ad < "20010831" or @rlad < "20010831") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/15 18:50 |
| S26 | 46 | ((customi\$6 or (user near2 defined)) near3 (configurat\$3 or construct\$3)) and ("attribute" same "class") and "component" and (("user" near2 "interface") same "access") and "product" and (@ad < "20010831") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/15 19:02 |
| S27 | 25 | ((customi\$6 or (user near2 defined)) near3 (configurator or construct\$3)) and ("attribute" same "class") and "component" and (("user" near2 "interface") same "access") and "product" and (@ad < "20010831") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/18 14:02 |
| S28 | 1 | ((customi\$6 or (user near2 defined)) near3 configurator) and ("attribute" same "class") and "component" and (("user" near2 "interface") same "access") and "product" and (@ad < "20010831" or @rlad < "20010831") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/15 19:02 |
| S29 | | ((customizable or (user near2 defined)) near3 (configurator or construct\$3)) and ("attribute" same "class") and "component" and (("user" near2 "interface") same "access") and "product" and (@ad < "20010831") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/15 19:11 |
| S30 | 1078 | ((customi\$6 or (user near2 defined)) near3 (configurator or construct\$3)) and (@ad < "20010831") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/18 14:03 |
| S31 | 27 | ((customi\$6 or (user near2 defined)) near3 (configurator)) and (@ad < "20010831" or @rlad < "20010831") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/18 14:04 |

EAST Search History

| S32 | | ((customi\$6 or (user near2 defined)) near3 (configurator)) and "class" and ("user interface" or "UI") and (@ad < "20010831" or @rlad < "20010831") | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/18 16:01 |
|-----|---|---|---|----|-----|------------------|
| S33 | | ((customi\$6 or (user near2 defined)) near3 (configurator)).CLM. and ("user interface").CLM. and (map).CLM. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/19 12:30 |
| S34 | 3 | yao-xiangyang.IN. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/01/18 16:08 |